

IFW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of:

De Ciutiis, et al.

Serial No. 10/593,155

Filed: October 31, 2006



Confirmation No. 7630

Group Art Unit: 1794

Examiner: F. Ducheneaux

For: **Heat-Protected Thermoplastic Component, Particularly a Vehicle Underside Component with Integrated Heat-Protection**

TRANSMITTAL LETTER

MS Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:


Submitted herewith for filing in the U.S. Patent and Trademark Office is the following:

- (1) Transmittal Letter; and
- (2) Supplemental Response and Amendment Under 37 C.F.R. §1.111.

If an Extension of Time under 37 CFR §1.136 is required and has not been separately petitioned, please consider this Transmittal Letter as including a petition for such Extension of Time and as a further authorization to charge any fee for such Extension of Time, as may be required by 37 CFR §1.17, to Deposit Account No. 14-0112. Also, please charge any fee deficiency, or credit any overpayment, in connection with this matter to Deposit Account No. 14-0112.

Respectfully submitted,
THE NATH LAW GROUP

Date: March 27, 2009
THE NATH LAW GROUP
112 South West Street
Alexandria, VA 22314
(703) 548-6285

By: 
Jerald L. Meyer
Registration No. 41,194
Derek Richmond
Registration No. 45,771
Customer No. 20529

Appl. No. 10/593,155
Reply to Office Action of December 26, 2008
Attorney Docket No. 27551U



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of:

De Ciutiis, et al.

Confirmation No. 7630

Serial No. 10/593,155

Group Art Unit: 1794

Filed: October 31, 2006

Examiner: F. Ducheneaux

For: **Heat-Protected Thermoplastic Component, Particularly a Vehicle Underside Component with Integrated Heat-Protection**

SUPPLEMENTAL RESPONSE AND AMENDMENT UNDER 37 C.F.R. §1.111

MS Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

This is a supplemental response to the Office Action having a mailing date of December 26, 2008. In this supplemental response, claim 5 is amended to correct a typographical error.

In view of the following amendments and remarks, the Applicants respectfully request that the Examiner reconsider and withdraw the outstanding rejections and allow this application.

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in a listing of claims, which begins on page 4 of this paper.

Amendments to the Drawings begin on page 6 of this paper.

Remarks/Arguments begin on page 7 of this paper.